

Journal
of
The Geological Society
of India

VOLUME

18

AUTHOR & SUBJECT INDEX

GEOLOGICAL SOCIETY OF INDIA
BANGALORE
1977

Contents and Index to Authors

Vol. 18

REVIEW PAPER

RADHAKRISHNA, B. P. and VASUDEV, V. N. The Early Precambrian of the Southern Indian Shield.....	525
---	-----

RESEARCH PAPERS

AGRAWAL, V. N. Metamorphic history of the Precambrian rocks of the Narmada section, Southwest of Jabalpur, Madhya Pradesh.....	493
AYYASAMI, K. and GURURAJA, M. N. Plant fossils from the East Coast Gondwana beds of Tamil Nadu with a note on their age.....	398
BALASUBRAMANIAM, K. S. and BHOSALE, J. S. Mineralogy and genesis of fluorite deposits of Chandidongri, Madhya Pradesh.....	170
BASU, ABHIJIT. Provenance and Al/Si order-disorder of detrital alkali feldspars.....	477
BANERJEE, A. K. and MITRA, S. K. Deformation and Metamorphism in the Precambrians of Rajasthan.....	644
CHAUDHURI, A. K. and PAL, A. B. Superposed folding in the northern part of the Gangpur Series, Orissa.....	233
CHATTOPADHYAY, P. B. and VENKATARAMAN, K. Petrography and petrochemistry of the kimberlite and associated volcanic rocks of the Jungel Valley, District Mirzapur, Uttar Pradesh, India.....	653
CHAUDHRI, R. S. and GUPTA, G. D. Petrography and genesis of Nahan Phosphorite, Himachal Pradesh—Northwest Himalayas.....	570
CHAUHAN, D. S. The Dariba main Lode of Rajpura-Dariba Zinc-Lead-Copper Belt, Udaipur District, Rajasthan.....	611
CHIPLONKAR, G. W. and GHARE, M. A. <i>Scolicia rigida</i> sp. nov. a new trace fossil from the Upper Utatur Group of Trichinopoly District, South India.....	94
DASGUPTA, Amal. Two species of <i>Austrotrillina</i> from Western Cutch...	65
DHANA RAJU, R. P-T conditions of granulite-upper amphibolite facies metamorphism in the Precambrian granitic rocks of the Chipurupalle-Razam area of the Eastern Ghats	281
DISSANAYAKE, C. B. and VITANAGE, P. W. Exploration for bauxite in Sri Lanka, preliminary investigations.....	338
GADEKAR, D. R. Sedimentary structures in the Tertiary rocks of South Gujarat and their environmental significance.....	549
GOVINDAN, A. Upper Cretaceous and Lower Tertiary foraminiferal genus <i>Bolivinoidea</i> from the Cauvery Basin, South India and its palaeobiogeographical significance.....	459
HEGDE, M. P. and ASWATHANARAYANA, U. Ore elements in the meta-volcanics of Ingaldhal, Karnataka State, India, as possible guides in ore search.....	72

JAGANNATHA RAO, B. R. Stratigraphic appraisal of 'Kota Flora'.....	456
JANARDHAN, A. S. and SRIKANTAPPA, C. Carbonate-orthopyroxene-chrome tremolite rocks (Sagvandites) from Mavinahalli, Mysore District, Karnataka State.....	617
JANARDHAN, A. S. and RAMACHANDRA, H. M. Charnockites from Hullahalli, Mysore District, Karnataka State.....	331
KARKHANIS, SURESH NARAYAN. Synthesis of abiogenic graphite under Precambrian conditions.....	97
KRISHNAMURTHY, P. On some geochemical aspects of the Sevattur carbonatite complex, North Arcot District, Tamil Nadu.....	265
KRISHNA RAO, J. S. R. and DHANA RAJU, R. X-ray studies on the structural state, orthoclase content and Al-distribution in tetrahedra of potassium feldspars from Southern India.....	117
KURESHY, A. A. The Cretaceous larger foraminiferal biostratigraphy of Pakistan.....	662
MADAN MOHAN, KUMAR, P. and NARAYANAN, V. Paleocene-Eocene Boundary in Cauvery Basin.....	401
MITRA, S. and DATTA, (SHOME) J. Some uncommon phenomena in Ptygmatic structures.....	577
MISHRA, D. C. and HARI NARAIN. Airborne geophysical survey—a case study from Central India.....	104
MUKHERJEE, S. K. 'Know Thy Mother's face'—A plea for Geomorphological studies in India.....	1
MUKHERJEE, S. K. Gondwanaland comes home?.....	303
NARAYANAN KUTTY, T. R. and ANANTHA IYER, G. V. Mineralogy of coexisting zoisite-clinozoisite and epidote from Sakarsanahalli, Kolar, Karnataka.....	78
NARAYANAN, V. Biozonation of Utattur Group, Trichinopoly, Cauvery Basin.....	415
NATARAJAN, V. and RAJAGOPALAN NAIR, S. Post-Kurnool thrust and other structural features in the northeast part of the Palnad Basin, Krishna District, Andhra Pradesh.....	111
NAUTIYAL, AVINASH CH. The palaeogeographic distribution of Devonian Acritarchs and biofacies belts.....	53
PAHUJA, R. P. S. and MURTY, T. V. V. G. R. K. Boudinage in the Delhi rocks between Bhim and Todgarh, Rajasthan.....	558
PARKASH, B. and GOEL, R. K. Palaeogeographic evolution of a part of the Indo-Gangetic Trough from the Late Tertiary to Recent.....	288
PERRAJU, P. and NATARAJAN, V. 'Peninsular gneiss' in the northern parts of Andhra Pradesh.....	224
RAMAM, P. K. and VISWANATHAN, T. V. Carbonatite complex near Borra, Visakhapatnam District, Andhra Pradesh.....	605
RAMANUJAM, C. G. K. and VARMA, Y. N. R. Palynological evidence for the age of Sriperumbudur Beds encountered in a borehole at Orikkai near Conjeevaram, Tamil Nadu.....	429
ROY, ASIT K. Structural and metamorphic evolution of the Bengal anorthosite and associated rocks.....	203
ROY, SUBIMAL SINHA. Relation between coplanar folds of variable orientation, stretching lineation and thrust in the Daling and associated rocks from the inner tectonic belt of Sikkim Himalayas.....	153
SAH, S. C. D. and SINGH, R. Y. Mesozoic-Cainozoic Boundary in Assam.....	445
SAH, S. C. D., MAITHY, P. K. and BHARGAVA, O. N. Some significant palynomorphs from B Member of the Jutogh Formation of Simla Hills.....	139

SAMANTA, BIMAL K. The occurrence of Marine Palaeocene outcrop in the Surat-Broach area, Gujarat.....	542
SARKAR, S. N., GAUTAM, K. V. V. S. and ROY, SAJALENDU. Structural analysis of a part of the Sausar group rocks in Chikla-Sitekasa area, Bhandara District, Maharashtra.....	627
SASTRI, V. V., RAJU, A. T. R., SINHA, R. N., VENKATACHALA B. S. and BANERJI, R. K. Biostratigraphy and evolution of the Cauvery Basin, India.....	355
SEN, D. P. and HATIM, A. Talchir (Lower Gondwana) sedimentation in Daltonganj coal field, Bihar.....	563
SETHNA, S. F. and BATTIWALA, H. K. Chemical classification of the intermediate and acid rocks (Deccan trap) of Salsette Island, Bombay	323
SETHNA, S. F. and VILADKAR, S. G. An estimation of temperatures of intrusion of Indian carbonatites using calcite-dolomite geothermometry	275
SHARMA, V. K. Preliminary investigation of Pleistocene valley glaciation in part of Kangra district, Himachal Pradesh.....	23
SINGH, V. K. and VERMA, O. P. Iron-Manganese ratios in wolframites as geologic thermometers.....	125
SINHA, JAYANTA K. and BOSE, MIHIR K. Petrology of the anorthosite suite east of Bela, District Gaya, Bihar.....	129
SRIKANTIA, S. V. The Sundernagar Group: Its geology, correlation and significance as stratigraphically the deepest sediment in the Peninsular or Lesser Himalaya.....	7
SRINIVASAN, R. and SREENIVAS, B. L. Some new geological features from the LANDSAT imagery of Karnataka.....	589
SRINIVASAN, V. The carbonatite of Hogenakal, Tamil Nadu, South India	598
SUBRAHMANYAM, N. P. and RAO, G. V. U. Petrography, geochemistry and origin of the carbonatite veins of Mer pluton, Mundwara igneous complex, Rajasthan.....	306
SUBRAMANIAN, S., RAMANUJAM, C. G. K. and PATIL, R. S. A note on a fossiliferous shale in coastal sedimentaries, north of Madras...	412
VENKATACHALA, B. S. Fossil floral assemblages in the East Coast Gondwanas—a critical review.....	378
VENKATASUBRAMANIAN, V. S., RADHAKRISHNA, B. P. and JAYARAM, S. Model galena ages from Karnataka and surrounding areas.....	49
VENKATESWARA RAO, M. Provenance and Sedimentation of Pakhals...	31
VJAYARAGHAVAN, P. N. and TIWARI, R. K. Exploration and mine development of Bandalamottu lead deposit in Guntur District, Andhra Pradesh	255
YADAGIRI, P. and PRASAD, K. N. On the discovery of new <i>Pholidophorus</i> fishes from the Kota Formation, Adilabad District, Andhra Pradesh.....	436

RESEARCH NOTES

AWASTHI, A. K., PARKASH, B. and SINGHAL, B. B. S. Palaeocurrents in the Jodhpur Formation around Bhopalgarh, Jodhpur District, Rajasthan.....	349
BANDYOPADHYAY, D. and HISHIKAR, A. K. Stratigraphic sequence in the southern part of Bailadila Range, District Bastar, Madhya Pradesh	240
BHANOT, V. B., SINGH, VEER PAL, KANSAL, ASHOK K. and THAKUR, VIKRAM C. Early Proterozoic Rb-Sr whole-rock age for Central Crystalline gneiss of higher Himalaya, Kumaun.....	90
BHATTACHARYYA, U. and CHATTERJEE, B. P. Stratigraphy of the Marine Incursions within the Tura Sandstone: Khasi and Garo Hills, Meghalaya	40

BOSE, UTPAL. Fusiform structures in Sullavai Sandstone—Biogenic or Abiogenic?	347
DASGUPTA, SUJIT. Effect of different physical parameters on roundness of clastics.....	295
DESHMUKH, A. N., BHUSARI, A. G. and MAINDARKAR, M. M. Utilization of clay washery waste of Bageshpura (Karnataka), India....	344
GOEL, R. K. and NAIR, N. G. K. The Spiti Ordovician-Silurian Succession.....	47
GOKHALE, N. W. and PURANIK, S. C. On the occurrence of pyrite in Harti Hills.....	624
GOPALA RAO, D. and BHATTACHARYA, G. C. Marine magnetic anomalies off the southwest coast of India and their analysis.....	504
JANARDAN RAO, Y. and SATYANARAYANA, K. Progressive metamorphism and geochemistry of hornblendes from Mailaram-Palvoncha area, Khammam District, Andhra Pradesh.....	251
JAYAKARAN, S. C. On the occurrence of <i>Terminalia</i> wood fossil from Coimbatore District, Tamil Nadu.....	502
KHANNA, V. K. Note on the unusually high concentration of rubidium in a lithium mica from Govindpal area of Bastar District.....	500
MUKHERJEE, AMALBIKASH and GHOSH, DULAL CHANDRA. Synthesis of garnierite Solid Solutions.....	45
MURTY, M. S. Sodalite-cancrinite-fluorite syenite from the granitic terrain of Podili, Prakasam District, Andhra Pradesh.....	297
MURTY, P. S. N. Groundwater recharge in three drainage sub-basins in Chikmagalur District, Karnataka State, South India.....	246
PASAYAT, S. and BHATTACHARYYA, D. S. Evidences of three phases of deformation in the Precambrian rocks of Raisindri Pahar, Singhbhum, Bihar	198
RAJASEKARAN, K. C. and RAM MOHAN, V. Twinned epidote from the epidote-biotite gneiss of Omalur, Salem District, Tamil Nadu.....	92
RAJU PHILIP. On the occurrence of welded tuffs around Ingaldhal, Chitradurga, Karnataka.....	184
RAO, A. T. and RAMAN, C. V. Sulphide minerals from charnockite near Kondapalli, Andhra Pradesh.....	668
SAHU, K. C., PANCHAPAKESAN, V. and PATIL, R. R. Fluid inclusion studies on samples from Kolihan mines of Khetri Copper Belt.....	671
SEN, D. P. Striated pavement to the east of Karmatnar, Bihar.....	512
SINGH, C. S. P. and KANJILAL, S. <i>Habonucula</i> , a new Nuculid (Bivalvia) genus from Jurassic rocks of Kutch (Gujarat), W. India.....	189
SRIKANTIA, S. V., GANESAN, T. M., SINHA, P. K. and TIRKEY, B. A note on the significance of granite clasts in a diamictite of the Thango Formation (Lower Silurian), Zaskar valley, Ladakh Himalaya.....	509
SURENDRA KUMAR. Textural analysis of the beach on Anjidiv Island near Karwar.....	178
VASUDEVAN, D., RAO, T. M. and KOTA REDDY, C. A note on the occurrence of carbonatite in the Nellore Schist Belt, near Vinjamur, Udayagiri Taluk, Andhra Pradesh.....	515
VIDYADHARAN, K. T., SUKUMARAN, P. V. and NAIR, M. M. A note on the occurrence of anorthosite near Perinthatta, Taliparamba Taluk, Cannanore District, Kerala.....	519
VISWANATHA, M. N. Spinifex texture in Serpentinite from Karnataka	623

VISWANATHA, M. N., RAMAKRISHNAN, M. and NARAYANAN KUTTY, T. R. Possible spinifex texture in a serpentinite from Karnataka	194
--	-----

NOTES


PICHAMUTHU, C. S. Presentation of Prof. L. Rama Rao Gold Medal to Sri V. V. Sastri.....	299
RADHAKRISHNA, B. P. Annual report of the Society for 1977.....	149
SASTRI, V. V. Reply—Presentation of Prof. L. Rama Rao Gold Medal	300

OBITUARY

R. PRAHLADA RAO, A. JOSHI, A. VISWANATHAN, K. G. P. MENON and K. S. CHAUHAN air crash victims—AMD (<i>B. Krishnamoorthy</i>)	302
PAWDE, M. B. (<i>S. T. Rajurkar</i>)..	148

REVIEWS

COSTED. Exploration techniques for groundwater.....(<i>B. P. Radhakrishna</i>)	521
McFARLANE, M. J: Laterite and Landscape (<i>B. P. Radhakrishna</i>).....	522
RAY, S: A text book of geology (<i>C. S. Pichamuthu</i>).....	521
RAY, S: Metamorphism and metamorphic rocks of India (<i>C. S. Picha- muthu</i>)	522
DAVIES MORLEY: Tertiary Faunas (<i>V. V. Sastri</i>).....	147
SHARMA, N. L. and AGRAWAL, Y. L: Mineralogy, Petrology and Economic Geology Tables (<i>C. S. Pichamuthu</i>).....	96



Digitized by the Internet Archive
in 2024

Subject Index

Vol. 18

- Abstracts, preparation of 524
- Acritarchs of Devonian, distribution 53
- Airborne geophysical survey, Central India 104
- Alkali feldspar
 - Al/Si order-disorder 477
 - analysis 486-7
- Albian-Cenomanian boundary 423
- Andhra Pradesh
 - carbonatites, Nellore Schist Belt 515
 - carbonatites, Borra 605
 - charnockites, Kondapalli 668
 - geochemistry of hornblende, Mailaram 251
 - granitic rocks 281
 - Kota Formation, fishes 436
 - model galena age, Agnigundala 50
 - Palnad Basin 111
 - Peninsular gneisses 224
 - syenites, of Podili 297
- Anjdiv island, beach sands 178
- Annual report, Geological Society 1976 149
- Anorthosite
 - of Bela, Gaya Dist. 129
 - of Bengal 203
 - of Kerala 519
- Assam, Mesozoic-Cainozoic boundary 445
- Bababudan Group 528-9
- Bailadila range, stratigraphy 240
- Bauxite, exploration in Sri Lanka 338
- Bengal, anorthosites 203
- Bihar
 - anorthosites, Gaya Dist. 129
 - anorthosites of Singhbhum 198
 - glaciated pavement, Karmatanr 512
 - Talchir sedimentation 563
- Bolivinioides*, Cauvery Basin 459
- Boudinage, in Delhi rocks 558
- Cancrinite, in syenite, Podili 297
- Carbonatites
 - of Amba Dongar 275
 - of Borra 605
 - of Hogenakal 598
 - of Mer Pluton 306
 - of Mundwara 278
 - of Nellore schist belt 575
 - of Panwad 276
 - of Siriwasan 278
 - of Samalpatti 278
 - of Sevattur 278
- Carbonaceous shale, North Madras 412
- Cauvery Basin
 - biostratigraphy 355-77
 - biozonation 415-428
 - foraminifers 402, 415, 459
 - fossil floral assemblage, review 378
 - geological map 379
 - structural elements 363
 - Uttatur group, 415
- Chandidongri, fluorite 170
- Charnockites
 - of Hullahalli 331
 - sulphides in, Kondapalli 668
- Chitradurga Group 529
- Closepet granite 530
- Clinozoisite, Sakarsanahalli 78-83
- Cretaceous, of Pakistan, biostratigraphy, 662-7
- Cutch
 - Austrotrillina* from 65
 - Jurassic of 189
- Dalings, Himalaya 153
- Dariba, Pb-Zn-Cu belt 611-6
- Deccan trap, Salsette Island 323
- Devakottai-Mannargudi ridge 364
- Devonian, Acritarchs 53
- Dharwar Supergroup 528
- Diamictite, granite clasts in 509
- Eastern Ghats, granulites 281
- Early Precambrian, South Indian shield 525,540
- Epidote
 - Sakarsanahalli 78, 83
 - twinned, from Salem Dist. 92
- Feldspars, X-ray studies 117
- Fenitisation, in carbonatites, Sevattur 269
- Fishes, from Kota formation 436
- Fluid inclusion studies, Kolihan 671
- Fluorite
 - of Chandidongri 170
 - in syenite, Podili 297
- Fusiform structures, in Sullavai sandstones 347
- Galena, age of Karnataka 49
- Ganga Basin 1-18

- Gabbroic anorthosite, Gaya Dist. 130
 Garnet from leptynite, Bengal 216
 Garnierite 45
 Gangpur series, folding in 233
 Geomorphological studies in India, neglect of 1
 Geochronology
 galena, Karnataka 49
 Kumaun gneiss, Himalaya 90
 Geological Society of India, Annual report 1976, 149
 Geophysical survey
 Airborne, Central India 104
 for pipe rocks 108
 Geochemistry
 of carbonatites, Mer pluton 306
 of carbonatites, Sevattur 266-7
 of charnockites, Hullahalli 332
 of Deccan traps 323
 of hornblende, Mailaram 251
 of kimberlite, Jungel 659
 Geothermometry, of calcite & dolomite in carbonatites 275, 277
 Glaciation,
 Kangra Dist. 23
 Karmatanr, Bihar 512
 Godavari-Krishna Basin 386-90
 Gondwanas, of East Coast 378-97, 398
 Graphite, abiogenic synthesis 97
 Groundwater recharge 246
 Gujarat
 carbonatite, Amba Dongar 275
 Jurassic rocks, of Cutch 189
 Paleocene of Surat-Broach 542
 Tertiary rocks, sedimentary structures 349
 Himachal Pradesh
 glaciation, Kangra 23
 phosphorite, Nahan 570
 Himachal Himalaya 15
 Himalayas
 Dalings of Sikkim 153
 of Jammu-Kashmir 13
 of Garhwal & Kumaun 15
 Jutogh Formation 139
 of Nepal 17
 Rb/Sr age of gneiss 90
 rivers, antiquity 291
 of Sikkim-Bhutan 17
 Sundernagar group, 7
 Himalayan rivers, antiquity 291
 Hornblende,
 geochemistry 251
 in anorthosite, Gaya 134
Hobonucula from Cutch 189
 Hydrothermal experiments 86
 Indo-Gangetic trough, evolution 288
 Indus suture line 3
 Infrared spectra of zoisite 85
 Jammu-Kashmir Himalaya 13
 Jayanti Basin, Bihar 573
 Jurassic of Cutch 189
 Jutogh Formation 139
 Kangra Dist., glaciation 23
 Karaikal High 363
 Karnataka
 Anjidiv Island, beach sands 178
 Bageshapura, clay washery waste 343
 charnockites, Hullahalli 331
 galena, ages of 49
 groundwater recharge 246
 Harti hills, pyrite 624
 Landsat imagery 589-97
 Metavolcanics, Ingladhah 72
 sagvandites, Mavinahalli 617
 serpentinite, spinifex texture in 194
 welded tuffs, Ingladhah 184
 zoisite, Sakarsanahalli 78
 Kerala, anorthosites 519
 Khammam Group 526
 Khasi and Garo hills 40
 Kimberlite, Jungel valley 653-61
 Kota flora, stratigraphic appraisal 456
 Kota Formation 436, 456
 Kumaon, Rb/Sr ages of gneiss 90
 Kumbakonam-Shiyali Ridge 363
 Landsat imagery, Karnataka 589-97
 Laterites, of Sri Lanka 339
 Lead deposit, Bandalamottu 255
 Leptynites, of Bengal 217
 Lineation, in Dalings 153, 158
 Lithium mica, high in Rb 500
 Madhya Pradesh
 Bailadila range, stratigraphy 240
 Fluorite, Chandidongri 170
 Precambrian of Narmada section 493
 Lithium mica, Bastar Dist. 500
 Mandi-Darla volcanics 10
 Maharashtra
 Deccan traps, Salsette Island 323
 Sausar Group, structural analyses 627-43
 Mahanadi Basin 390
 Meghalaya, Tura sandstone 40
 Mesozoic-Cainozoic boundary, Assam 445
 Metamorphism
 of granites, Eastern Ghats 281
 of Precambrian rocks, Rajasthan 644-52
 of rocks of Narmada valley 493
 Mineralogy
 Plagioclase from anorthosite, Gaya 131

- hornblende from anorthosite, Gaya 134
 fluorite, Chandidongri 170
 wolframite 125
 zoisite-clinozoisite, Sakarsanahalli 78
 Mineralisation episodes, Karnataka 536
 Migmatites, Peninsular gneiss complex 527
 Mine development, Bandalamottu lead 264
 Mobile belt 530
 Mundwara igneous complex, Rajasthan 278, 306
- Narji limestone 115
 Nellore schist belt, carbonatite 515
 Nellore Group 526
 Nepal Himalaya 17
 Nuculid, from Jurassic of Cutch 189
 Nummulites, Cauvery Basin 408
- Obituary
 Pawde, M. B. 148
 air crash victims, AMD 302
 Ordovician-Silurian of Spiti 47
 Orissa, Gangapur Series 233
- Pakhals, sedimentation 31
 Palnad Basin 111, 113
 Palar Basin, 382
 Paleocene-Eocene boundary, Cauvery Basin 401
 Paleocene, Surat Broach area 542
 Palynology, Jutogh Formation 139
 Panwad-Kawant, carbonatites 276
 Palaeogeography, Indo-Gangetic Trough 288
 Palaeocurrents
 in Jodhpur Formation, Rajasthan 349
 in Siwaliks 289
 Palynofossils
 in carbonaceous shales 412
 East Coast Gondwanas, review 378-97
 in Cauvery Basin 358-360
 Pakistan, Cretaceous rocks of 662-7
 Peninsular gneiss
 of Andhra Pradesh 224
 of Karnataka 527, 590
 Petrology
 of anorthosites, Gaya 129
 of Kimberlites, Jungel 653-61
 Phosphorite, of Nahan, H.P. 570
Pholidophorus, from Kota Formation 436
 Plant fossils, East Coast Gondwana 378, 398
 Pleistocene, glaciation, Kangra 23
 Potash feldspars, X-ray study 117
 Precambrian,
 of Narmada section 493
 of Karnataka 525, 528
 of Rajasthan, metamorphism 644-52
 Ptygmatic structure, theoretical model 577-88
- Pyrite, in Harti hills, Karnataka 624
 Pyroxene, from metanorites, Bengal 220
- Raisindri Pahar, 198
 Rajasthan
 carbonatite, Mer 306
 carbonatite, Mundwara 278
 Dariba Pb-Zn-Cu belt 611-16
 Delhi rocks 558
 galena from Zawar 51
 Jodhpur Formation 349
 Khetri copper belt 671
 Precambrian 644-52
 Rama Rao gold medal, presentation to V. V. Sastry 29
 Ramnad Depression 364
 Ranibennur Group 530
 Review
 exploration technique for groundwater 521
 McFarlane: Laterite and landscape, 522-3
 S. Ray: Metamorphism and metamorphic rocks, 522
 R. K. Sinha: Mineral Economics, 625-6
 Mineralogy petrology tables 96
 Morley Davies: Tertiary fauna
 S. Ray: Text book of geology, 521
 Rubidium, high concentration in lithium mica 500
- Sagvandites, Mavinahalli 617
 Salsette Island 323
 Sargur Group 526
 Sargur schist complex 526
 Satyamangalam Group 526
 Sausar Group, structural analyses 627-43
Scolicia rigida sp. nov. 94
 Sedimentation
 in Cauvery basin 364
 in Daltonganj coal field 563
 Pakhals 31
 Serpentinite, spinifex texture in 194
 Sikkim Himalaya, 18, 153
 Siwaliks, palaeocurrent in 289
 Sodalite, in syenite, Podili 297
 Spinifex texture 194, 623
 Spiti, Ordovician of 47
 Sri Lanka, bauxite 338
 Sriperumbudur Beds, Age 429
 Stratigraphy
 Bailadila range 240
 Cauvery Basin 355
 Sundernagar Group, Himalayas 12
- Structure
 of anorthosite, Bengal 215
 Bandalamottu lead deposit 256
 of Cauvery basin 363
 of Gangpur series 233

- of Precambrian, Narmada Valley 493-4
- of Sausar Group 627-43
- Sullavai sandstone 347
- Sulphides, in charnockites 668
- Superposed folding, Gangpur 233, 234
- Sundernagar Group 18
- Surat-Broach area, Paleocene 542
- Syenite, of Podili 297
- Talchir coalfield 563
- Tamil Nadu
 - carbonatites Sevattur 265, 274
 - carbonatites, Hogenakal 598
 - Cauvery Basin, stratigraphy 355, 401
 - coastal sedimentaries, Madras 442
 - East Coast Gondwana, plant fossils 398
 - epidote twinned, Omalur 92
 - galena of Alangayam, age 50
 - galena of Mamandur, age 50
 - Scolicia rigida* from Trichinopoly 94
 - Terminalia*, from Coimbatore 502
 - Sriperumbudur beds 429
- Tectonic evolution, Cauvery Basin 364
- Terminalia*, wood fossil, Coimbatore 502
- Tertiary
 - of South Gujarat 549
- Thango Formation, Zanskar 509
- Thanjavur Depression 363
- Tillites, of Karmatanr, Bihar 512
- Tonalites, in Peninsular gneiss complex 527
- Trace elements
 - in carbonatite, Sevattur 267
 - in carbonatite, Mer Pluton 311-2
 - in metavolcanics, Ingladhal 74-75
- Tura sandstone, Khasi hills 40
- Twinning, in epidote, Omalur 92
- Tranquebar Depression 363
- Uttatut group
 - biozonation of 415-428
 - Scolicia rigida* in 94
- Uttar Pradesh
 - Kimberlite of Jungel Valley 653-61
- Welded tuffs, Ingladhal 184
- Wolframite
 - iron-manganese ratio in 125
- X-ray data
 - potash feldspar, S. India 117
 - zoisite and clinozoisite 84
- Zoisite, chemical composition, Sakarsanahalli 83

